

United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCI United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/804,432	03/19/2004	Lloyd I. Towne	010355-9133	7205
23409 75	7590 05/16/2005		EXAMINER	
MICHAEL BEST & FRIEDRICH, LLP			MICHALSKY, GERALD A	
100 E WISCON MILWAUKEE,			ART UNIT	PAPER NUMBER
,			3753	

DATE MAILED: 05/16/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

(1)
W

	Application No.	Applicant(s)				
	10/804,432	TOWNE ET AL.				
Office Action Summary	Examiner	Art Unit				
	Gerald A. Michalsky	3753				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	6(a). In no event, however, may a reply be tim within the statutory minimum of thirty (30) days ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE!	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on						
•	- action is non-final.					
3) Since this application is in condition for allowan	ce except for formal matters, pro	secution as to the merits is				
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4) Claim(s) <u>1-19</u> is/are pending in the application.	•					
4a) Of the above claim(s) is/are withdraw	n from consideration.					
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-12 and 14-19</u> is/are rejected.						
7) Claim(s) 13 is/are objected to.						
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers		•				
9) The specification is objected to by the Examiner						
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.						
Applicant may not request that any objection to the o						
Replacement drawing sheet(s) including the correcti	•	• •				
11) The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C. § 119(a))-(d) or (f).				
1. Certified copies of the priority documents	have been received.					
2. Certified copies of the priority documents	have been received in Application	on No				
3. Copies of the certified copies of the prior	•	ed in this National Stage				
application from the International Bureau						
* See the attached detailed Office action for a list of	of the certified copies not receive	d.				
Attacherent						
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
 Notice of References Cited (FTO-092) Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 19 March 2004. 	Paper No(s)/Mail Da					
The state of the s						

Application/Control Number: 10/804,432 Page 2

Art Unit: 3753

DETAILED ACTION

1. The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, the at least one additional element and additional spacer elements, as specified in claim 16, must be shown or the feature(s) canceled from the claim(s). No new matter should be entered.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. The figure or figure number of an amended drawing should not be labeled as "amended." If a drawing figure is to be canceled, the appropriate figure must be removed from the replacement sheet, and where necessary, the remaining figures must be renumbered and appropriate changes made to the brief description of the several views of the drawings for consistency. Additional replacement sheets may be necessary to show the renumbering of the remaining figures. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

Application/Control Number: 10/804,432

Art Unit: 3753

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Page 3

- 3. Claims 1-5, 7-12, and 14-19 are rejected under 35 U.S.C. 102(b) as being anticipated by Clippard. Spacer 20 of Clippard is read as a "spacer element". The flow passage formed by lateral surfaces 37 and 38 of Clippard is read as an "annular flow passage".
- 4. Claims 1 and 3-7 are rejected under 35 U.S.C. 102(b) as being anticipated by Gordon et al. Sleeve 76 of Figure 4 of Gordon is read as a "body". Annular groove 86 of Gordon et al is read, at least in part, as an "annular flow passage". Slots 84 of Gordon et al are read as "one of slits and notches", as recited in claim 6.
- 5. Claim 13 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gerald A. Michalsky whose telephone number is (571) 272-4917. The examiner can normally be reached on M-F 5:30 AM - 2 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gene Mancene can be reached on (571) 272-4930. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/804,432

Art Unit: 3753

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Gerald A. Michalsky Primary Examiner Art Unit 3753